

PrepAwayExam

PrepAwayExam

> Contact Us

Login / Register

Search...



HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)

Pass Your Next Certification Exam Fast!

Everything you need to prepare, learn & pass your certification exam easily.

365 days free updates. First attempt guaranteed success.

Try **Online Engine** before you buy

Instant Download



After Payment, our system will send you the products you purchase in mailbox in a minute after payment. If not received within 2 hours, please contact us.

365 Days Free Updates



Free update is available within 365 days after your purchase. After 365 days, you will get 50% discounts for updating.



Money Back Guarantee

Full refund if you fail the corresponding exam in 60 days after purchasing. And Free get any another product.



Security & Privacy

We respect customer privacy. We use McAfee's security service to provide you with utmost security for your personal information & peace of mind.

<http://www.prepawayexam.com/>

High-efficient Exam Materials are the best high pass-rate Exam Dumps

Exam : C2020-010

Title : IBM SPSS Modeler Professional v2

Vendors : IBM

Version : DEMO

NO.1 Which outlier treatment is not available in the Quality tab of the Data Audit output?

- A. Coerce
- B. Nullify
- C. Recode
- D. Discard

Answer: C

NO.2 Which nodes are best suited for revealing relationships between categorical (nominal, ordinal) fields? (Choose two.)

- A. Means node
- B. Matrix node
- C. Distribution node
- D. Table node

Answer: B,C

NO.3 Assume you have four fields, A, B, C and D and you wish to find the sum of the values even if there are \$null\$ missing values in one or more fields. Which expression would accomplish this task?

- A. Sum_n((ABCIJ))
- B. A+B+C+D
- C. sum_n([A, B, C, D])
- D. to_real(A) + to_real(B) + to_real(C) + to_real(D)

Answer: C

NO.4 True or false: business objectives are the origin & every data mining solution.

- A. True
- B. False

Answer: A

NO.5 Assume you have two data files: a personnel file with information about employees and a second

file with information about performance categories. You will use IBM SPSS Modeler to merge the files together using performance category as the key. However, there are inconsistencies in the category keys used in both the personnel file and the performance file. In order to merge the files together without losing information from either the personnel file or the performance category file, you would use:

- A. A full outer join.
- B. An inner join.
- C. A partial outer join.
- D. An anti-join.

Answer: A

NO.6 Some data mining models such as Neural Net and Support Vector Machine models do not provide

equations or rules to help analysts determine how the models use the input fields for prediction. If you have a categorical target field and a continuous input field, which graphing technique could aid with interpretation?

- A. Distribution node
- B. Histogram node
- C. Plot node
- D. Evaluation node

NO.7 Which values are available as Field Roles? (Choose three.)

- A. Input
- B. Target
- C. Nominal
- D. Partition

Answer: A,B,D